



Certificate of Analysis
Compliance Test

Client Information:

BMH Manufacturing
2401 N Ritter Ave
Indianapolis, Indiana 46218

Batch # BMH12112024=3 Test Reg State: Florida
Batch Date: 2024-12-11
Extracted From: hemp

Order # BMH241211-110001
Order Date: 2024-12-11
Sample # AAGF363

Sampling Date: 2024-12-16
Lab Batch Date: 2024-12-16
Completion Date: 2024-12-20

Initial Gross Weight: 21.423 g
Net Weight: 16.723 g

Number of Units: 1
Net Weight per Unit: 4180.750 mg



Product Image

Potency
Tested

Delta 8/Delta 10 Potency 13 - (LCUV)
Specimen Weight: 1526.200 mg

Tested
SOP13.001 (LCUV)

Pieces For Panel: 4

Analyte	LOD (mg/g)	LOQ (%)	Result (mg/g)	(%)
Delta-8 THC	2.60E-5	0.0015	74.140	7.414
CBN	1.40E-5	0.0015	0.890	0.089
Delta8a10a-THC	8.47E-5	0.0015	0.060	0.006
CBGA	8.00E-5	0.0015	0.040	0.004
CBD	5.40E-5	0.0015	0.030	0.003
CBG	2.48E-4	0.0015	0.020	0.002
CBC	1.80E-5	0.0015	<LOQ	<LOQ
CBDA	1.00E-5	0.0015	<LOQ	<LOQ
CBDV	6.50E-5	0.0015	<LOQ	<LOQ
Delta-10 THC	3.00E-6	0.0015	<LOQ	<LOQ
Delta-9 THC	1.30E-5	0.0015	<LOQ	<LOQ
THCA-A	3.20E-5	0.0015	<LOQ	<LOQ
THCV	7.00E-6	0.0015	<LOQ	<LOQ
Total Active CBD			0.030	0.003
Total Active THC			<LOQ	<LOQ

Potency Summary

Total Delta 8 7.414% 309.961 mg	Total Delta 10 None Detected
Total Active THC None Detected	Total Active CBD 0.003% 0.125 mg
Total CBG 0.006% 0.251 mg	Total CBN 0.089% 3.721 mg
Total Cannabinoids 7.518% 314.309 mg	

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. The results apply to the sample as received.
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.